Docket No.: M4065.0939/P939
(PATENT)

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Letters Patent of:
Howard E. Rhodes

Patent No.: 7,148,528

Issued: December 12, 2006

For: PINNED PHOTODIODE STRUCTURE AND
METHOD OF FORMATION

REQUEST FOR CERTIFICATE OF CORRECTION
PURSUANT TO 37 C.F.R. § 1.322

Attention: Certificate of Correction Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Certificate

FEB 2 3 2007

of Correction

Dear Sir:

Upon reviewing the above-identified patent, Patentee noted typographical errors which should be corrected.

In the Specification, the PTO made the following error to be corrected:

Column 25, line 44, "it,is" should read --it is--.

In Claim 19, the PTO made the following error to be corrected:

Column 32, line 26, "substrated" should read --substrate--.

The errors were not in the application as filed by Applicant; accordingly no fee is required.

Transmitted herewith is a proposed Certificate of Correction effecting such amendment. Patentee respectfully solicits the granting of the requested Certificate of Correction.

Dated: February 21, 2007   Respectfully submitted,

By _J̶L̶U̶t̶ ~ #41,198_

Thomas J. D'Amico
    Registration No.: 28,371
Ryan H. Flax
    Registration No.: 48,141
DICKSTEIN SHAPIRO LLP
1825 Eye Street, NW
Washington, DC 20006-5403
(202) 420-2200
Attorneys for Applicant

2

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

Page __1__ of __1__

PATENT NO. : 7,148,528

APPLICATION NO. : 10/695,160

ISSUE DATE : December 12, 2006

INVENTOR : Howard E. Rhodes

It is certified that errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In the Specification, the following error is corrected:

Column 25, line 44, "it,is" should read --it is--.

In Claim 19, the following error is corrected:

Column 32, line 26, "substrated" should read --substrate--.

MAILING ADDRESS OF SENDER (Please do not use customer number below):
Thomas J. D'Amico
DICKSTEIN SHAPIRO LLP   1
1825 Eye Street, NW
Washington, DC 20006-5403

2 3 2007

DSMDB-2215919v01